From: Sent: To: CC:	Paul Hlavinka -MDE- [paul.hlavinka@maryland.gov] 1/27/2020 5:02:21 PM Price-Fay, Michelle [Price-Fay.Michelle@epa.gov] Ottinger, Elizabeth [Ottinger.Elizabeth@epa.gov]; Ed Stone -MDE- [ed.stone@maryland.gov]; Michael.Richardson@Maryland.gov [michael.richardson@maryland.gov]
Subject:	Re: Maryland Department of Environment
Michelle,	
extended, ur	r read of the situation. Maryland issues new registrations under permits that are administratively ider the terms and conditions of the specific General Permit. Our only exception is our Coal Mine mit, which would require an individual permit.
We would li well.	ke to set up a call to discuss. I would like to make sure that my Program Manager can attend as
On Mon, Jar	n 27, 2020 at 11:46 AM Price-Fay, Michelle < <u>Price-Fay.Michelle@epa.gov</u> > wrote:
Good Morr	aing Paul,
inability to	check in with you on MDE's expired GP. Since the MD CGP expiring on 12/31/2019 and MDE's issue registration to new construction projects under the expired GP, do you have examples of any permits that have been written for new projects?
	give me a call if you would like to discuss. I have a discussion with one of our state partners and would love your response as soon as you can.
Sincerely,	
Michelle	
Michelle Pı	rice-Fay, Chief
Clean Water Branch	
Water Division (3WD40)	
U.S. EPA Region III	

1650 Arch Street

Philadelphia, Pa 19103

215-814-3397

Email Updates

Click here to subscribe to an email newsletter providing updates regarding MDE's general discharge permits.



Paul Hlavinka

Chief, Industrial Stormwater Permits Division Water and Science Administration Maryland Department of the Environment 1800 Washington Boulevard Baltimore, Maryland 21230 paul.hlavinka@maryland.gov 410-537-3631 (O) Website | Facebook | Twitter

<u>Click here</u> to complete a three question customer experience survey.

 $\underline{\mbox{Click here}}$ to complete a three question customer experience survey.